VISION

To improve and protect the nation's health and wellbeing and improve the health of the poorest fastest

Outcome measures

Outcome 1) Increased healthy life expectancy, i.e. taking account of the health quality as well as the length of life

Outcome 2) Reduced differences in life expectancy and healthy life expectancy between communities (through greater improvements in more disadvantaged communities)

2 Health improvement

People are helped to live healthy lifestyles, make

healthy choices and reduce health inequalities

2.1 Low birth weight of term babies

2.3 Smoking status at time of delivery

2.5 Child development at $2-2^{1/2}$ years

2.6 Excess weight in 4-5 and 10-11 year olds

and deliberate injuries in under 18s

2.9 Smoking prevalence – 15 year olds

2.8 Emotional well-being of looked after children

2.13 Proportion of physically active and inactive

2.14 Smoking prevalence – adults (over 18s)

2.15 Successful completion of drug treatment

dependence issues who are previously not

2.16 People entering prison with substance

known to community treatment

2.18 Alcohol-related admissions to hospital

2.21 Access to non-cancer screening programmes

2.22 Take up of the NHS Health Check programme

2.24 Injuries due to falls in people aged 65 and over

2.19 Cancer diagnosed at stage 1 and 2

2.20 Cancer screening coverage

- by those eligible

2.23 Self-reported well-being

Hospital admissions caused by unintentional

Objective

Indicators

27

2.11 Diet

adults

2.17 Recorded diabetes

(Placeholder)

2.2 Breastfeeding

2.4 Under 18 conceptions

(Placeholder)

(Placeholder)

2.10 Self-harm (Placeholder)

2.12 Excess weight in adults

1 Improving the wider determinants of health

Objective

Improvements against wider factors which affect health and wellbeing and health inequalities

Indicators

- 1.1 Children in poverty
- 1.2 School readiness (Placeholder)
- 1.3 Pupil absence
- 1.4 First time entrants to the youth justice system
- 1.5 16-18 year olds not in education, employment or training
- 1.6 Adults with a learning disability/in contact with secondary mental health services who live in stable and appropriate accommodation (ASCOF 1G and 1H)
- 1.7 People in prison who have a mental illness or a significant mental illness (Placeholder)
- 1.8 Employment for those with long-term health conditions including adults with a learning disability or who are in contact with secondary mental health services *(i-NHSOF 2.2)++(ii-ASCOF 1E) **(iii-NHSOF 2.5) ++ (iii-ASCOF 1F)
- 1.9 Sickness absence rate
- 1.10 Killed and seriously injured casualties on England's roads
- 1.11 Domestic abuse (Placeholder)
- 1.12 Violent crime (including sexual violence)
- 1.13 Re-offending levels
- 1.14 The percentage of the population affected by noise
- 1.15 Statutory homelessness
- 1.16 Utilisation of outdoor space for exercise/health reasons
- 1.17 Fuel poverty (Placeholder)
- 1.18 Social isolation (Placeholder) + (ASCOF 11)
- 1.19 Older people's perception of community safety (Placeholder) ++ (ASCOF 4A)

Alignment across the Health and Care System

- * Indicator shared with the NHS Outcomes Framework.
- ** Complementary to indicators in the NHS Outcomes Framework
- † Indicator shared with the Adult Social Care Outcomes Framework
- ++ Complementary to indicators in the Adult Social Care Outcomes Framework

Indicators in italics are placeholders, pending development or identification

3 Health protection

The population's health is protected from major incidents and other threats, whilst reducing health

Indicators

- 3.1 air pollution
 - 3.2 Chlamydia diagnoses (15-24 year olds)
 - 3.3 Population vaccination coverage
 - infection
 - 3.5 Treatment completion for Tuberculosis (TB)
- 3.6 Public sector organisations with a board approved sustainable development management plan
- responding to public health incidents and emergencies (Placeholder)

Public Health Outcomes Framework 2013-2016

At a glance (Autumn 2012)

Healthcare public health and preventing 4 premature mortality

Objective

Reduced numbers of people living with preventable ill health and people dying prematurely, whilst reducing the gap between communities

Indicators

- 4.1 Infant mortality* (NHSOF 1.6i)
- 4.2 Tooth decay in children aged 5
- 4.3 Mortality rate from causes considered preventable** (NHSOF 1a)
- 4.4 Under 75 mortality rate from all cardiovascular diseases (including heart disease and stroke)* (NHSOF 1.1)
- 4.5 Under 75 mortality rate from cancer* (NHSOF 1.4i)
- 4.6 Under 75 mortality rate from liver disease* (NHSOF 1.3)
- 4.7 Under 75 mortality rate from respiratory diseases* (NHSOF 1.2)
- 4.8 Mortality rate from infectious and parasitic diseases
- 4.9 Excess under 75 mortality rate in adults with serious mental illness*(NHSOF 1.5)
- 4.10 Suicide rate
- 4.11 Emergency readmissions within 30 days of discharge from hospital* (NHSOF 3b)
- 4.12 Preventable sight loss
- 4.13 Health-related quality of life for older people (Placeholder)
- 4.14 Hip fractures in people aged 65 and over
- 4.15 Excess winter deaths
- 4.16 Estimated diagnosis rate for people with dementia* (NHSOF 2.6i)

Objective

inequalities

- 3.4 People presenting with HIV at a late stage of
- 3.7 Comprehensive, agreed inter-agency plans for

Fraction of mortality attributable to particulate