Joint Outcomes Framework Summary - 'Outliers' - February 2016

Summary overview of Outcome Frameworks illustrating the proportion of significance for comparator areas



Introduction

This summary brings together performance 'outliers' for the Adult Social Care Outcomes Framework (ASCOF), Better Care Fund (BCF), National Health Service Outcomes Framework and Clinical Commissioning Group Outcomes Framework (NHSOF, CCGOF) and the Public Health Outcomes Framework (PHOF). Only indicators that were identified as statistically significantly worse than the England average on either an annual basis, or for 3 out of 4 quarters are included in the table below.

The 'Thermometers' represent the proportion of indicators across all frameworks by their significance for comparator areas.
The 'dials' represent the proportion of indicators, that are significantly worse, as a proportion of all outcome framework indicators in each life course.

Quarterly Updates

2.23iii - Self-reported well-being - people with a low happiness score	Not signficant (previously significantly worse)
4.14i - Hip fractures in people aged 65 and over (male)	Newly added - Significantly worse
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (male)	Newly added - Significantly worse
2.23 - Self-reported well - being (low satisfaction)	Newly added - Significantly worse
2.23 - Self-reported well - being (high anxiety score)	Newly added - Significantly worse

Thermometer Notes

Thermometers are based on indicators, within each framework, where significance has been calculated.

Key Symbols

Significantly Worse | Not Significant | Significantly Better | Higher | South Devon & Torbay Trend | ^ Estimated | * Disclosure applied







		Indicators	Time period	Torbay Value	CCG Value	National Value	Unit of Measure	Torbay Trend Chart	Trend Guide
Starting Well 0 to 4 years	PHOF	2.02i - Breastfeeding - Breastfeeding initiation	2012-13	71.1	-	73.9	%		Higher is Better
	PHOF	2.02ii - Breastfeeding - Breastfeeding prevalence at 6 - 8 weeks after birth	2014-15	35.7	-	43.8	%		Higher is Better
	PHOF	2.03 - Smoking status at time of delivery	2013	16.1	-	11.4	%		Lower is Better
Developing Well 5 to 24 years	PHOF	3.03x - Population vaccination coverage - MMR for two doses (5 years old)	2014-15	80.7	-	89.9^	%		Higher is Better
	PHOF	1.01i - Children in poverty (all dependent children under 20)	2013	20.8	-	18.0	%		Lower is Better
	PHOF	1.01ii - Children in poverty (under 16s)	2013	21.6	-	18.6	%		Lower is Better
	PHOF	1.03 - Pupil absence	2013-14	5.1	-	4.5	%		Lower is Better
	PHOF	1.04 - First time entrants to the youth justice system	2014	585.0	-	409.0	Per 100,000		Lower is Better
	PHOF	2.06i - Excess weight in 4-5 year olds	2014-15	24.1	-	21.9	%		Lower is Better
	PHOF	2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15 - 24 years)	2013-14	173.9	-	136.7	Per 10,000		Lower is Better
	PHOF	2.09i - Smoking Prevalence age 15 years - current smokers (WAY survey) - NEW	2014-15	13.6	-	8.2	%	-	Lower is Better
	PHOF	2.09ii - Smoking Prevalence age 15 years - regular smokers (WAY survey) - NEW	2014-15	10.4	-	5.5	%	-	Lower is Better
	PHOF	3.03xii - Population vaccination coverage - HPV	2014-15	68.1	-	86.7	%		Higher is Better
Living and Working Well 15 to 64 years	PHOF	1.12i - Violent crime (including sexual violence) - hospital admissions for violence	2011-2014	64.5*	-	52.4	Per 100,000		Lower is Better
	PHOF	1.17 - Fuel Poverty	2013	12.8	-	10.4	%		Lower is Better
	PHOF	Excess weight in adults (Newly Added)	2012-14	68.1	-	64.6	%	-	Lower is Better
	PHOF	2.13i - Percentage of active and inactive adults - active adults	2014	52.4	-	57	%		Lower is Better
	PHOF	2.13ii - Percentage of active and inactive adults - inactive adults	2014	34.2	-	27.2	%		Lower is Better
	PHOF	2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons)	2013-14	858	-	645.0	Per 100,000		Lower is Better
	PHOF	2.18 - Admission episodes for alcohol-related conditions - narrow definition (Male)	2013-14	1,102	-	835.0	Per 100,000		Lower is Better
	PHOF	2.18 - Admission episodes for alcohol-related conditions - narrow definition (Female)	2013-14	642	-	475.0	Per 100,000		Lower is Better
	PHOF	2.22iii - Cumulative % of eligible population aged 40-74 offered a Health Check	2013-2015	32.9	-	37.9	%	-	Higher is Better
	PHOF	2.22iii - Cumulative % of eligible population aged 40-74 received a Health Check	2013-2015	16.8	-	18.6	%	-	Higher is Better
	PHOF	2.23 - Self-reported well - being (low satisfaction) (Newly Added)	2014-15	6.9	-	4.8	%		Loweris Better
	PHOF	2.23 - Self-reported well - being (high anxiety score) (Newly Added)	2014-15	22.6	-	19.4	%		Lower is Better
	PHOF	4.03 - Mortality rates from causes considered preventable (Males)	2012-14	258.1	-	230.1	Per 100,000		Lower is Better
	PHOF	4.07i - Under 75 mortality rate from respiratory disease (Males)	2012-14	48.2	-	38.3	Per 100,000		Lower is Better
	PHOF	4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Males)	2012-14	28.2	-	20.1	Per 100,000		Lower is Better
	PHOF	4.10 - Suicide Male	2012-14	20.5	-	14.1	Per 100,000		Lower is Better
	PHOF	4.14i - Hip fractures in people aged 65 and over (male) (Newly Added)	2014-15	590	-	425	Per 100,000		Lower is Better
	PHOF	4.14iii - Hip fractures in people aged 65 and over - aged 80+ (male) (Newly Added)	2014-15	1815	-	1174	Per 100,000		Lower is Better
	ASCOF	1C(2) - Proportion of people using social care who receive direct payments	2013-14	15.7	-	19.1	%		Higher is Better
	ASCOF	1E - Adults with learning disabilities in employment	2013-14	3.6	-	6.7	%		Higher is Better
	ASCOF	1F - Adults in contact with mental health services in employment	2013-14	4.8	-	8.8	%		Lower is Better
	ASCOF	1G - Adults with learning disabilities in stable accommodation	2013-14	68.7	-	74.9	%		Higher is Better
	ASCOF	2A(1) - Permanent admissions to care homes: people aged 18 to 64	2013-14	33.7	-	14.4	Per 100,000		Lower is Better
	ASCOF	3D(1) - Proportion of people who use services who find it easy to find information about services	2013-14	71.9	-	74.5	%	-	Higher is Better
	ASCOF	4A - People who use services who feel safe	2013-14	62.3	-	66	%		Higher is Better
	ASCOF	4B - People who say the services they use make them feel safe and secure	2013-14	66.5	-	79.1	%		Higher is Better
	NHSOF	1.6 - Infant Mortality	2013	4.75	-	3.81	Per 1,000		Lower is Better
	NHSOF	2.4 - Health-related quality of life for carers (complementary to 1D ASCOF carer reported quality of life - not sig)	2014-15	0.69	0.72	0.80	Weighted Value		Higher is Better
	NHSOF	5.2ii - Incidence of healthcare - associated infection - C.Difficle (rate) [CCG tool and HSCIC]	2013-15	-	104.6	61.4	Per 100,000	-	Lower is Better
Ageing and Dying Well 65+	PHOF	3.03xiii - Population vaccination coverage - PPV	2014-15	67.5	-	68.9	%		Higher is Better
	PHOF	3.03xiv - Population vaccination coverage - Flu (aged 65+)	2014-15	67.3	-	72.7	%		Higher is Better
	PHOF	3.03xv - Population vaccination coverage - Flu (at risk individuals)	2014-15	44.6	-	50.3	%		Higher is Better
	BCF	Total emergency admissions	2013-14	3,310	-	2551	Crude rate	Not Available	Lower is Better
	BCF	Delayed transfers of care - Average monthly number of days of delayed transfer of care	2014	8.4	-	11.6	Per 100,000	Not Available	Lower is Better
	BCF	Avoidable emergency admissions	2013	206.1	-	178.9	Per 100,000	Not Available	Lower is Better
	BCF	Client satisfaction with Care and Support	2014-15	69.7	-	64.7	%	Not Available	Higher is Better
	BCF	Permanent admissions to residential and nursing care homes (over 65yrs)	2014-15	606.3	633.8	668.8	Crude rate	Not Available	Lower is Better
	BCF	Re-ablement (effectiveness) - Older people (over 65yrs) who are still ar home 91 days after hospital discharge	2014-15	77.2	82.6	82.1	%	Not Available	Higher is Better
	BCF	Re-ablement (coverage) - Older people (over 65yrs) offered reablement services following hospital discharge	2014-15	3.5	-	3.1	%	Not Available	Higher is Better
	BCF	Dementia diagnosis rate (local Devon indicator)	2015	62.6	61.2	60.8	%	Not Available	Higher is Better